

# LIGHTWEIGHT STEEL FRAMING DETAILS GENERAL & AXIAL LOADBEARING




MONTREAL • TORONTO • CALGARY • EDMONTON • VANCOUVER

**BAILEY**<sup>®</sup>  
METAL PRODUCTS LIMITED




## WALL ELEVATIONS

**Bailey Wind Bearing Walls (BWB)** Lightweight Steel Framing (LSF) provides economical structural support for finishes under lateral wind loads on buildings where other structural components carry axial loads. BWB walls can be designed for a variety of deflection limits for finishes such as EIFS, Stucco, Metal Panel and Brick Veneer. Wind-Bearing LSF may be used in buildings of any height.



EXTERIOR INFILL WALLS /  
CONTINUOUS EXTERIOR CURTAIN WALLS

**Bailey Axial Loadbearing Walls (BAB)** Lightweight Steel Framing (LSF) supports the combined axial and wind loads on interior and exterior walls. Buildings up to six stories in height can be framed using LSF. LSF works with a variety of floors including LSF Joists, ComSlab® composite flooring systems, OWSJ's and hollow precast concrete.




AXIAL LOAD BEARING WALLS





### Bailey Joists for Floors & Roofs


Lightweight Steel Framing (LSF) Joists offer a wide range of span and load capabilities for commercial and residential floor systems and mezzanines. LSF ceiling Joist members can also be utilized for pitched, mansard and flat roofs. The use of Bailey LSF Joist members will provide support for interior drywall ceilings where long clear spans are required.



JOISTS FOR FLOORS & ROOFS

### Bailey Non-Loadbearing Walls (BNLB)


Lightweight Steel Framing (LSF) provides an effective solution for interior non-load bearing walls and partitions. When combined with top track deflection members, bulkheads will resist buckling caused by deflection of floor and roof assemblies. Non-load bearing LSF provides a stable framework for drywall or other finished wall surface applications.



TALL INTERIOR PARTITIONS

### Bailey Spandrel Walls

Lightweight Steel Framing (LSF) accommodates a variety of spans for continuous strip window applications. LSF provides a stable, square platform in which glazing units and frames can be effectively installed.




SPANDREL WALLS  
FOR CONTINUOUS  
STRIP WINDOWS



## WALL ELEVATIONS

### AXIAL LOADBEARING WALL

In axial loadbearing construction, some form of bracing is required to resist wind, seismic and sway effects produced by vertical loads acting on the structure (the P-delta effect). Diagonal tension straps are normally the most economical means of providing this bracing. Diagonal straps are typically installed in pairs to form the X pattern over the face of the studs. Strap end connections must be engineered to transfer the full design load and account for horizontal and vertical strap reactions.






## GENERAL DETAILS


1

BAILEY STUD TO  
BAILEY TRACK




3

BAILEY STUD REINFORCED  
WITH BAILEY TRACK




4

BAILEY STUD WITH WEB  
STIFFENER REINFORCING




5

JAMB STUD AT  
DOOR OPENING




6

BAILEY STUD TO BAILEY  
TRACK AT CORNERS




7

THROUGH-THE-STUD  
BRIDGING




8

FLAT STRAP BRIDGING




9

NOTCHED CHANNEL  
BRIDGING




10

EXTERIOR SHEATHING




11

EXTERIOR RIGID  
INSULATION



12

EXTERIOR SHEATHING  
AND RIGID INSULATION






**BAILEY**  
METAL PRODUCTS LIMITED

## AXIAL LOADBEARING WALLS


35

### DIAGONAL TENSION STRAPS ONE SIDE




36

### DIAGONAL TENSION STRAPS BOTH SIDES




37

### TENSION STRAP CONNECTION



38

### TENSION STRAP CONNECTION WITH GUSSET PLATES






## AXIAL LOADBEARING WALLS


39

### WALL OPENING WITH UPPER LINTEL




40

### WALL OPENING WITH LOWER LINTEL




41

### OPEN WEB STEEL JOISTS IN LINE WITH AXIAL LOADBEARING STEEL STUDS



20



### OPEN WEB STEEL JOISTS OFFSET TO AXIAL LOADBEARING STEEL STUDS





# BAILEY<sup>®</sup>

METAL PRODUCTS LIMITED



## LIGHTWEIGHT STEEL FRAMING DETAILS GENERAL & AXIAL LOADBearing

[sales@bmp-group.com](mailto:sales@bmp-group.com) • [www.bmp-group.com](http://www.bmp-group.com)



GXL04IN17-500

### MONTREAL

525 Avenue Edward VII  
Dorval, QC H9P 1E7  
Tel. (514) 735-3455  
800-263-3455  
Fax. (514) 735-5052

### TORONTO

1 Caldari Road  
Concord, ON L4K 3Z9  
Tel. (905) 738-9267  
800-668-2154  
Fax. (905) 738-5712

### CALGARY

3924 27th Street NE  
Calgary, AB T1Y 5K7  
Tel. (403) 248-3536  
800-665-2013  
Fax. (403) 248-0288

### EDMONTON

5710 Roper Road NW  
Edmonton, AB T6B 3G7  
Tel. (780) 462-5757  
800-563-1751  
Fax. (780) 450-3378

### VANCOUVER

7715 Anvil Way  
Surrey, BC V3W 6A2  
Tel. (604) 590-5100  
800-818-2666  
Fax. (604) 590-5105