




STANDARD DECK DESIGNS





**Position of the beam varies based on the position of the posts*

8'x8' DECK – Material List



Component	Part Number	Length (FT)	Length (")	# Pcs
Joist	800J162-43G90XL	8.00	96	9 Pcs
Rim Track	800RT200-68G90XL	8.00	96	1 Pcs
Ledger Track	800RT200-68G90XL	8.00	96	1 Pcs
Box Beam Track	800BT200-68G90XL	8.00	96	1 Pcs
Box Beam Joist	800BB200-68G90XL	8.00	96	1 Pcs
Blocking	600J162-43G90XL	0.98	11.75	8 Pcs
Joist Clips	CLIPDUBC800-54		7.5	1 Box (25 pcs)
Blocking Clips	CLIPDUBC600-54		5.5	1 Box (25 pcs)
Webstiffener	WBSTFX775G90		7.75	9 Pcs
Fastener for Steel Frame	SCREWHX10X075P			1 Box (1000 pcs)
Beam Cap	230U200-33G90X8		8	2 Pcs


Deck Parameters

- Joist arrangement – 12" O.C
- All material exterior grade
- Post (●) not included
- 50 PSF live load considered
- Cantilever no longer than 4'
- Please contact us if you are planning to put rail posts

Packaging Instructions

- All parts G90
- No paint whatsoever
- No knockout on Joist
- Each component to be labelled with the component name/tag

8'x10' DECK – Material List



Component	Part Number	Length (FT)	Length (")	# Pcs
Joist	800J162-43G90XL	8.00	96	11 Pcs
Rim Track	800RT200-68G90XL	10.00	120	1 Pcs
Ledger Track	800RT200-68G90XL	10.00	120	1 Pcs
Box Beam Track	800BT200-68G90XL	10.00	120	1 Pcs
Box Beam Joist	800BB200-68G90XL	10.00	120	1 Pcs
Blocking	600J162-43G90XL	0.98	11.75	10 Pcs
Joist Clips	CLIPTDUBC800-54		7.5	1 Box (25 pcs)
Blocking Clips	CLIPTDUBC600-54		5.5	1 Box (25 pcs)
Webstiffener	WBSTFX775G90		7.75	11 Pcs
Fastener for Steel Frame	SCREWHX10X075P			1 Box (1000 pcs)
Beam Cap	230U200-33G90X8		8	2 Pcs


Deck Parameters

- Joist arrangement – 12" O.C
- All material exterior grade
- Post (●) not included
- 50 PSF live load considered
- Cantilever no longer than 4'
- Please contact us if you are planning to put rail posts

Packaging Instructions

- All parts G90
- No paint whatsoever
- No knockout on Joist
- Each component to be labelled with the component name/tag

8'x12' DECK – Material List



Component	Part Number	Length (FT)	Length (")	# Pcs
Joist	800J162-43G90XL	8.00	96	13 Pcs
Rim Track	800RT200-68G90XL	12.00	144	1 Pcs
Ledger Track	800RT200-68G90XL	12.00	144	1 Pcs
Box Beam Track	800BT200-68G90XL	12.00	144	1 Pcs
Box Beam Joist	800BB200-68G90XL	12.00	144	1 Pcs
Blocking	600J162-43G90XL	0.98	11.75	12 Pcs
Joist Clips	CLIPTDUBC800-54		7.5	2 Box (25 pcs)
Blocking Clips	CLIPTDUBC600-54		5.5	1 Box (25 pcs)
Webstiffener	WBSTFX775G90		7.75	13 Pcs
Fastener for Steel Frame	SCREWHX10X075P			1 Box (1000 pcs)
Beam Cap	230U200-33G90X8		8	2 Pcs


Deck Parameters

- Joist arrangement – 12" O.C
- All material exterior grade
- Post (●) not included
- 50 PSF live load considered
- Cantilever no longer than 4'
- Please contact us if you are planning to put rail posts

Packaging Instructions

- All parts G90
- No paint whatsoever
- No knockout on Joist
- Each component to be labelled with the component name/tag

8'x16' DECK – Material List



Component	Part Number	Length (FT)	Length (")	# Pcs
Joist	800J162-43G90XL	8.00	96	17 Pcs
Rim Track	800RT200-68G90XL	16.00	192	1 Pcs
Ledger Track	800RT200-68G90XL	16.00	192	1 Pcs
Box Beam Track	800BT200-68G90XL	16.00	192	1 Pcs
Box Beam Joist	800BB200-68G90XL	16.00	192	1 Pcs
Blocking	600J162-43G90XL	0.98	11.75	16 Pcs
Joist Clips	CLIPDUBC800-54		7.5	2 Box (25 pcs)
Blocking Clips	CLIPDUBC600-54		5.5	2 Box (25 pcs)
Webstiffener	WBSTFX775G90		7.75	17 Pcs
Fastener for Steel Frame	SCREWHX10X075P			1 Box (1000 pcs)
Beam Cap	230U200-33G90X8		8	2 Pcs


Deck Parameters

- Joist arrangement – 12" O.C
- All material exterior grade
- Post (●) not included
- 50 PSF live load considered
- Cantilever no longer than 4'
- Please contact us if you are planning to put rail posts

Packaging Instructions

- All parts G90
- No paint whatsoever
- No knockout on Joist
- Each component to be labelled with the component name/tag

8'x20' DECK – Material List



Component	Part Number	Length (FT)	Length (")	# Pcs
Joist	800J162-43G90XL	8.00	96	21 Pcs
Rim Track	800RT200-68G90XL	20.00	240	1 Pcs
Ledger Track	800RT200-68G90XL	20.00	240	1 Pcs
Box Beam Track	800BT200-68G90XL	20.00	240	1 Pcs
Box Beam Joist	800BB200-68G90XL	20.00	240	1 Pcs
Blocking	600J162-43G90XL	0.98	11.75	20 Pcs
Joist Clips	CLIPTDUBC800-54		7.5	2 Box (25 pcs)
Blocking Clips	CLIPTDUBC600-54		5.5	2 Box (25 pcs)
Webstiffener	WBSTFX775G90		7.75	21 Pcs
Fastener for Steel Frame	SCREWHX10X075P			1 Box (1000 pcs)
Beam Cap	230U200-33G90X8		8	2 Pcs


Deck Parameters

- Joist arrangement – 12" O.C
- All material exterior grade
- Post (●) not included
- 50 PSF live load considered
- Cantilever no longer than 4'
- Please contact us if you are planning to put rail posts

Packaging Instructions

- All parts G90
- No paint whatsoever
- No knockout on Joist
- Each component to be labelled with the component name/tag

10'x10' DECK – Material List



Component	Part Number	Length (FT)	Length (")	# Pcs
Joist	800J162-43G90XL	10.00	120	11 Pcs
Rim Track	800RT200-68G90XL	10.00	120	1 Pcs
Ledger Track	800RT200-68G90XL	10.00	120	1 Pcs
Box Beam Track	800BT200-68G90XL	10.00	120	1 Pcs
Box Beam Joist	800BB200-68G90XL	10.00	120	1 Pcs
Blocking	600J162-43G90XL	0.98	11.75	10 Pcs
Joist Clips	CLIPTDUBC800-54		7.5	1 Box (25 pcs)
Blocking Clips	CLIPTDUBC600-54		5.5	1 Box (25 pcs)
Webstiffener	WBSTFX775G90		7.75	11 Pcs
Fastener for Steel Frame	SCREWHX10X075P			1 Box (1000 pcs)
Beam Cap	230U200-33G90X8		8	2 Pcs


Deck Parameters

- Joist arrangement – 12" O.C
- All material exterior grade
- Post (●) not included
- 50 PSF live load considered
- Cantilever no longer than 4'
- Please contact us if you are planning to put rail posts

Packaging Instructions

- All parts G90
- No paint whatsoever
- No knockout on Joist
- Each component to be labelled with the component name/tag

10'x12' DECK – Material List



Component	Part Number	Length (FT)	Length (")	# Pcs
Joist	800J162-43G90XL	10.00	120	13 Pcs
Rim Track	800RT200-68G90XL	12.00	144	1 Pcs
Ledger Track	800RT200-68G90XL	12.00	144	1 Pcs
Box Beam Track	800BT200-68G90XL	12.00	144	1 Pcs
Box Beam Joist	800BB200-68G90XL	12.00	144	1 Pcs
Blocking	600J162-43G90XL	0.98	11.75	10 Pcs
Joist Clips	CLIPTDUBC800-54		7.5	2 Box (25 pcs)
Blocking Clips	CLIPTDUBC600-54		5.5	1 Box (25 pcs)
Webstiffener	WBSTFX775G90		7.75	13 Pcs
Fastener for Steel Frame	SCREWHX10X075P			1 Box (1000 pcs)
Beam Cap	230U200-33G90X8		8	2 Pcs


Deck Parameters

- Joist arrangement – 12" O.C
- All material exterior grade
- Post (●) not included
- 50 PSF live load considered
- Cantilever no longer than 4'
- Please contact us if you are planning to put rail posts

Packaging Instructions

- All parts G90
- No paint whatsoever
- No knockout on Joist
- Each component to be labelled with the component name/tag

10'x16' DECK – Material List




Component	Part Number	Length (FT)	Length (")	# Pcs
Joist	800J162-43G90XL	10.00	120	17 Pcs
Rim Track	800RT200-68G90XL	16.00	192	1 Pcs
Ledger Track	800RT200-68G90XL	16.00	192	1 Pcs
Box Beam Track	800BT200-68G90XL	16.00	192	1 Pcs
Box Beam Joist	800BB200-68G90XL	16.00	192	1 Pcs
Blocking	600J162-43G90XL	0.98	11.75	16 Pcs
Joist Clips	CLIPTDUBC800-54		7.5	2 Box (25 pcs)
Blocking Clips	CLIPTDUBC600-54		5.5	2 Box (25 pcs)
Webstiffener	WBSTFX775G90		7.75	17 Pcs
Fastener for Steel Frame	SCREWHX10X075P			1 Box (1000 pcs)
Beam Cap	230U200-33G90X8		8	2 Pcs

Deck Parameters

- Joist arrangement – 12" O.C
- All material exterior grade
- Post (●) not included
- 50 PSF live load considered
- Cantilever no longer than 4'
- Please contact us if you are planning to put rail posts

Packaging Instructions

- All parts G90
- No paint whatsoever
- No knockout on Joist
- Each component to be labelled with the component name/tag



Component	Part Number	Length (FT)	Length (")	# Pcs
Joist	800J162-43G90XL	10.00	120	21 Pcs
Rim Track	800RT200-68G90XL	20.00	240	1 Pcs
Ledger Track	800RT200-68G90XL	20.00	240	1 Pcs
Box Beam Track	800BT200-68G90XL	20.00	240	1 Pcs
Box Beam Joist	800BB200-68G90XL	20.00	240	1 Pcs
Blocking	600J162-43G90XL	0.98	11.75	20 Pcs
Joist Clips	CLIPTDUBC800-54		7.5	2 Box (25 pcs)
Blocking Clips	CLIPTDUBC600-54		5.5	2 Box (25 pcs)
Webstiffener	WBSTFX775G90		7.75	21 Pcs
Fastener for Steel Frame	SCREWHX10X075P			1 Box (1000 pcs)
Beam Cap	230U200-33G90X8		8	2 Pcs


Deck Parameters

- Joist arrangement – 12" O.C
- All material exterior grade
- Post (●) not included
- 50 PSF live load considered
- Cantilever no longer than 4'
- Please contact us if you are planning to put rail posts

Packaging Instructions

- All parts G90
- No paint whatsoever
- No knockout on Joist
- Each component to be labelled with the component name/tag

12'x12' DECK – Material List



Component	Part Number	Length (FT)	Length (")	# Pcs
Joist	800J162-43G90XL	12.00	144	13 Pcs
Rim Track	800RT200-68G90XL	12.00	144	1 Pcs
Ledger Track	800RT200-68G90XL	12.00	144	1 Pcs
Box Beam Track	800BT200-68G90XL	12.00	144	1 Pcs
Box Beam Joist	800BB200-68G90XL	12.00	144	1 Pcs
Blocking	600J162-43G90XL	0.98	11.75	12 Pcs
Joist Clips	CLIPTDUBC800-54		7.5	2 Box (25 pcs)
Blocking Clips	CLIPTDUBC600-54		5.5	1 Box (25 pcs)
Webstiffener	WBSTFX775G90		7.75	13 Pcs
Fastener for Steel Frame	SCREWHX10X075P			1 Box (1000 pcs)
Beam Cap	230U200-33G90X8		8	2 Pcs


Deck Parameters

- Joist arrangement – 12" O.C
- All material exterior grade
- Post (●) not included
- 50 PSF live load considered
- Cantilever no longer than 4'
- Please contact us if you are planning to put rail posts

Packaging Instructions

- All parts G90
- No paint whatsoever
- No knockout on Joist
- Each component to be labelled with the component name/tag

12'x16' DECK – Material List



Component	Part Number	Length (FT)	Length (")	# Pcs
Joist	800J162-43G90XL	12.00	144	17 Pcs
Rim Track	800RT200-68G90XL	16.00	192	1 Pcs
Ledger Track	800RT200-68G90XL	16.00	192	1 Pcs
Box Beam Track	800BT200-68G90XL	16.00	192	1 Pcs
Box Beam Joist	800BB200-68G90XL	16.00	192	1 Pcs
Blocking	600J162-43G90XL	0.98	11.75	16 Pcs
Joist Clips	CLIPTDUBC800-54		7.5	2 Box (25 pcs)
Blocking Clips	CLIPTDUBC600-54		5.5	2 Box (25 pcs)
Webstiffener	WBSTFX775G90		7.75	17 Pcs
Fastener for Steel Frame	SCREWHX10X075P			1 Box (1000 pcs)
Beam Cap	230U200-33G90X8		8	2 Pcs


Deck Parameters

- Joist arrangement – 12" O.C
- All material exterior grade
- Post (●) not included
- 50 PSF live load considered
- Cantilever no longer than 4'
- Please contact us if you are planning to put rail posts

Packaging Instructions

- All parts G90
- No paint whatsoever
- No knockout on Joist
- Each component to be labelled with the component name/tag

12'x20' DECK – Material List



Component	Part Number	Length (FT)	Length (")	# Pcs
Joist	800J162-43G90XL	12.00	144	21 Pcs
Rim Track	800RT200-68G90XL	20.00	240	1 Pcs
Ledger Track	800RT200-68G90XL	20.00	240	1 Pcs
Box Beam Track	800BT200-68G90XL	20.00	240	1 Pcs
Box Beam Joist	800BB200-68G90XL	20.00	240	1 Pcs
Blocking	600J162-43G90XL	0.98	11.75	20 Pcs
Joist Clips	CLIPTDUBC800-54		7.5	2 Box (25 pcs)
Blocking Clips	CLIPTDUBC600-54		5.5	2 Box (25 pcs)
Webstiffener	WBSTFX775G90		7.75	21 Pcs
Fastener for Steel Frame	SCREWHX10X075P			1 Box (1000 pcs)
Beam Cap	230U200-33G90X8		8	2 Pcs


Deck Parameters

- Joist arrangement – 12" O.C
- All material exterior grade
- Post (●) not included
- 50 PSF live load considered
- Cantilever no longer than 4'
- Please contact us if you are planning to put rail posts

Packaging Instructions

- All parts G90
- No paint whatsoever
- No knockout on Joist
- Each component to be labelled with the component name/tag

16'x16' DECK – Material List



Component	Part Number	Length (FT)	Length (")	# Pcs
Joist	800JP162-68G90XL	16.00	192	17 Pcs
Rim Track	800RT200-68G90XL	16.00	192	1 Pcs
Ledger Track	800RT200-68G90XL	16.00	192	1 Pcs
Box Beam Track	800BT200-68G90XL	16.00	192	1 Pcs
Box Beam Joist	800BB200-68G90XL	16.00	192	1 Pcs
Blocking	600J162-43G90XL	0.98	11.75	16 Pcs
Joist Clips	CLIPTDUBC800-54		7.5	2 Box (25 pcs)
Blocking Clips	CLIPTDUBC600-54		5.5	2 Box (25 pcs)
Webstiffener	WBSTFX775G90		7.75	17 Pcs
Fastener for Steel Frame	SCREWHX10X075P			1 Box (1000 pcs)
Beam Cap	230U200-33G90X8		8	2 Pcs


Deck Parameters

- Joist arrangement – 12" O.C
- All material exterior grade
- Post (●) not included
- 50 PSF live load considered
- Cantilever no longer than 4'
- Please contact us if you are planning to put rail posts

Packaging Instructions

- All parts G90
- No paint whatsoever
- No knockout on Joist
- Each component to be labelled with the component name/tag

16'x20' DECK – Material List



Component	Part Number	Length (FT)	Length (")	# Pcs
Joist	800JP162-68G90XL	16.00	192	21 Pcs
Rim Track	800RT200-68G90XL	20.00	240	1 Pcs
Ledger Track	800RT200-68G90XL	20.00	240	1 Pcs
Box Beam Track	800T200-97G90XL	20.00	240	1 Pcs
Box Beam Joist	800S200-97G90XL	20.00	240	1 Pcs
Blocking	600J162-43G90XL	0.98	11.75	20 Pcs
Joist Clips	CLIPTDUBC800-54		7.5	2 Box (25 pcs)
Blocking Clips	CLIPTDUBC600-54		5.5	2 Box (25 pcs)
Webstiffener	WBSTFX775G90		7.75	21 Pcs
Fastener for Steel Frame	SCREWHX10X075P			1 Box (1000 pcs)
Beam Cap	230U200-33G90X8		8	2 Pcs

Deck Parameters

- Joist arrangement – 12" O.C
- All material exterior grade
- Post (●) not included
- 50 PSF live load considered
- Cantilever no longer than 4'
- Please contact us if you are planning to put rail posts

Packaging Instructions

- All parts G90
- No paint whatsoever
- No knockout on Joist
- Each component to be labelled with the component name/tag